

NON-SPARKING SLOGGING RING WRENCHES

Full catalogue available on our website: www.inpratex.com

NON-SPARKING TOOLS

ZONES 1, 2 (gas) & 21, 22 (dust)

Non-sparking slogging ring wrenches, made of Copper-Beryllium (Cu-Be) or Aluminium-Bronze (Al-Bron) alloys, suitable for use in potentially explosive atmospheres. These Non-sparking slogging ring wrenches are certified by the BAM Certification Body, stating that the materials from which they are made are suitable for use in potentially explosive atmospheres, in zones 1 and/or 21 of all explosion groups (I, IIA, IIB and IIC).

6-POINT - MILIMETERS					
	Size:	Lenght:	Weight:	Alloy:	Item No.:
	17 mm	150 mm	0,2 kg	Aluminium-Bronze	11A37101
				Copper-Beryllium	11A37100
	19 mm	150 mm	0,2 kg	Aluminium-Bronze	11A37103
				Copper-Beryllium	11A37102
	22 mm	170 mm	0,3 kg	Aluminium-Bronze	11A37105
				Copper-Beryllium	11A37104
	24 mm	170 mm	0,3 kg	Aluminium-Bronze	11A37107
				Copper-Beryllium	11A37106
	27 mm	180 mm	0,3 kg	Aluminium-Bronze	11A37109
				Copper-Beryllium	11A37108
	30 mm	190 mm	0,4 kg	Aluminium-Bronze	11A37111
				Copper-Beryllium	11A37110
	32 mm	190 mm	0,4 kg	Aluminium-Bronze	11A37113
				Copper-Beryllium	11A37112
	36 mm	200 mm	0,6 kg	Aluminium-Bronze	11A37115
				Copper-Beryllium	11A37114
	41 mm	230 mm	0,7 kg	Aluminium-Bronze	11A37117
				Copper-Beryllium	11A37116
	46 mm	240 mm	1,2 kg	Aluminium-Bronze	11A37119
				Copper-Beryllium	11A37118
	50 mm	250 mm	1,2 kg	Aluminium-Bronze	11A37121
				Copper-Beryllium	11A37120
	55 mm	270 mm	1,4 kg	Aluminium-Bronze	11A37123
				Copper-Beryllium	11A37122
	60 mm	280 mm	1,6 kg	Aluminium-Bronze	11A37125
				Copper-Beryllium	11A37124
	65 mm	290 mm	2 kg	Aluminium-Bronze	11A37127
				Copper-Beryllium	11A37126
	70 mm	320 mm	2,7 kg	Aluminium-Bronze	11A37129
				Copper-Beryllium	11A37128
	75 mm	330 mm	2,8 kg	Aluminium-Bronze	11A37131
				Copper-Beryllium	11A37130
	80 mm	350 mm	3,5 kg	Aluminium-Bronze	11A37133
				Copper-Beryllium	11A37132
	85 mm	350 mm	3,5 kg	Aluminium-Bronze	11A37135
				Copper-Beryllium	11A37134
	90 mm	380 mm	4,3 kg	Aluminium-Bronze	11A37137
				Copper-Beryllium	11A37136
	100 mm	410 mm	6,4 kg	Aluminium-Bronze	11A37139
				Copper-Beryllium	11A37138

NON-SPARKING SLOGGING RING WRENCHES

Full catalogue available on our website: www.inpratex.com

6-POINT - MILIMETERS					
	Size:	Lenght:	Weight:	Alloy:	Item No.:
	110 mm	440 mm	8,5 kg	Aluminium-Bronze	37141
				Copper-Beryllium	37140
	120 mm	480 mm	12 kg	Aluminium-Bronze	37143
				Copper-Beryllium	37142
	130 mm	500 mm	14 kg	Aluminium-Bronze	37145
				Copper-Beryllium	37144
	140 mm	550 mm	18 kg	Aluminium-Bronze	37147
				Copper-Beryllium	37146
	150 mm	550 mm	20 kg	Aluminium-Bronze	37149
				Copper-Beryllium	37148
	160 mm	600 mm	26 kg	Aluminium-Bronze	37151
				Copper-Beryllium	37150

12-POINT - MILIMETERS					
	Size:	Lenght:	Weight:	Alloy:	Item No.:
	16 mm	147 mm	0,1 kg	Aluminium-Bronze	11A35589
				Copper-Beryllium	11A35588
	17 mm	150 mm	0,1 kg	Aluminium-Bronze	11A71080
				Copper-Beryllium	11A70297
	18 mm	150 mm	0,1 kg	Aluminium-Bronze	11A35653
				Copper-Beryllium	11A35652
	19 mm	150 mm	0,1 kg	Aluminium-Bronze	11A71081
				Copper-Beryllium	11A70298
	20 mm	150 mm	0,2 kg	Aluminium-Bronze	11A72230
				Copper-Beryllium	11A72231
	21 mm	170 mm	0,2 kg	Aluminium-Bronze	11A77151
				Copper-Beryllium	11A77150
	22 mm	170 mm	0,2 kg	Aluminium-Bronze	11A71082
				Copper-Beryllium	11A70299
	23 mm	170 mm	0,2 kg	Aluminium-Bronze	11A77565
				Copper-Beryllium	11A77564
	24 mm	170 mm	0,2 kg	Aluminium-Bronze	11A71083
				Copper-Beryllium	11A70300
	25 mm	180 mm	0,2 kg	Aluminium-Bronze	11A72677
				Copper-Beryllium	11A72631
	26 mm	180 mm	0,3 kg	Aluminium-Bronze	11A72951
				Copper-Beryllium	11A71906
	27 mm	180 mm	0,3 kg	Aluminium-Bronze	11A71084
				Copper-Beryllium	11A70301
	28 mm	180 mm	0,3 kg	Aluminium-Bronze	11A72679
				Copper-Beryllium	11A72633
	29 mm	190 mm	0,4 kg	Aluminium-Bronze	11A72680
				Copper-Beryllium	11A72634
	30 mm	190 mm	0,4 kg	Aluminium-Bronze	11A71085
				Copper-Beryllium	11A70302

NON-SPARKING SLOGGING RING WRENCHES

Full catalogue available on our website: www.inpratex.com

15



NON-SPARKING TOOLS



12-POINT - MILIMETERS					
	Size:	Lenght:	Weight:	Alloy:	Item No.:
	31 mm	190 mm	0,4 kg	Aluminium-Bronze	11A72681
				Copper-Beryllium	11A72635
	32 mm	190 mm	0,4 kg	Aluminium-Bronze	11A71086
				Copper-Beryllium	11A70303
	33 mm	190 mm	0,4 kg	Aluminium-Bronze	11A72619
				Copper-Beryllium	11A72609
	34 mm	200 mm	0,5 kg	Aluminium-Bronze	11A73331
				Copper-Beryllium	11A73326
	35 mm	200 mm	0,5 kg	Aluminium-Bronze	11A72620
				Copper-Beryllium	11A72610
	36 mm	200 mm	0,5 kg	Aluminium-Bronze	11A71087
				Copper-Beryllium	11A70304
	37 mm	200 mm	0,5 kg	Aluminium-Bronze	11A72621
				Copper-Beryllium	11A72611
	38 mm	225 mm	0,8 kg	Aluminium-Bronze	11A71835
				Copper-Beryllium	11A71834
	39 mm	225 mm	0,8 kg	Aluminium-Bronze	11A72682
				Copper-Beryllium	11A72636
	40 mm	225 mm	0,8 kg	Aluminium-Bronze	11A73332
				Copper-Beryllium	11A73327
	41 mm	225 mm	0,8 kg	Aluminium-Bronze	11A71088
				Copper-Beryllium	11A70305
	42 mm	225 mm	0,8 kg	Aluminium-Bronze	11A73333
				Copper-Beryllium	11A73328
	43 mm	225 mm	0,9 kg	Aluminium-Bronze	11A72684
				Copper-Beryllium	11A72638
	44 mm	235 mm	0,9 kg	Aluminium-Bronze	11A73334
				Copper-Beryllium	11A73329
	45 mm	235 mm	0,9 kg	Aluminium-Bronze	11A72686
				Copper-Beryllium	11A72640
	46 mm	235 mm	0,9 kg	Aluminium-Bronze	11A71089
				Copper-Beryllium	11A70306
	47 mm	235 mm	0,9 kg	Aluminium-Bronze	11A72228
				Copper-Beryllium	11A72229
	48 mm	245 mm	1,1 kg	Aluminium-Bronze	11A73335
				Copper-Beryllium	11A73330
	49 mm	245 mm	1,1 kg	Aluminium-Bronze	11A72688
				Copper-Beryllium	11A72642
	50 mm	245 mm	1,1 kg	Aluminium-Bronze	11A71090
				Copper-Beryllium	11A70307
	51 mm	245 mm	1,1 kg	Aluminium-Bronze	11A72689
				Copper-Beryllium	11A72643
	52 mm	265 mm	1,4 kg	Aluminium-Bronze	11A71091
				Copper-Beryllium	11A70308
	53 mm	265 mm	1,4 kg	Aluminium-Bronze	11A72690
				Copper-Beryllium	11A72644

NON-SPARKING SLOGGING RING WRENCHES

Full catalogue available on our website: www.inpratex.com

12-POINT - MILIMETERS					
	Size:	Lenght:	Weight:	Alloy:	Item No.:
	54 mm	265 mm	1,4 kg	Aluminium-Bronze	11A72623
				Copper-Beryllium	11A72613
	55 mm	265 mm	1,4 kg	Aluminium-Bronze	11A71092
				Copper-Beryllium	11A70309
	56 mm	265 mm	1,4 kg	Aluminium-Bronze	11A73394
				Copper-Beryllium	11A73470
	57 mm	265 mm	1,7 kg	Aluminium-Bronze	11A72693
				Copper-Beryllium	11A72647
	58 mm	275 mm	1,7 kg	Aluminium-Bronze	11A73395
				Copper-Beryllium	11A73471
	59 mm	275 mm	1,7 kg	Aluminium-Bronze	11A72694
	60 mm	275 mm	1,7 kg	Copper-Beryllium	11A70310
				Aluminium-Bronze	11A71093
	61 mm	275 mm	1,7 kg	Copper-Beryllium	11A72650
				Aluminium-Bronze	11A72696
	62 mm	275 mm	2 kg	Copper-Beryllium	11A72651
				Aluminium-Bronze	11A72697
	63 mm	290 mm	2 kg	Copper-Beryllium	11A72652
				Aluminium-Bronze	11A72698
	64 mm	290 mm	2 kg	Copper-Beryllium	11A72653
				Aluminium-Bronze	11A72699
	65 mm	290 mm	2 kg	Copper-Beryllium	11A70311
				Aluminium-Bronze	11A71094
	66 mm	290 mm	2 kg	Copper-Beryllium	11A72655
				Aluminium-Bronze	11A73340
	67 mm	290 mm	2,5 kg	Copper-Beryllium	11A72615
				Aluminium-Bronze	11A72625
	68 mm	320 mm	2,5 kg	Copper-Beryllium	11A72656
				Aluminium-Bronze	11A72702
	69 mm	320 mm	2,5 kg	Copper-Beryllium	11A72657
				Aluminium-Bronze	11A72703
	70 mm	320 mm	2,5 kg	Copper-Beryllium	11A70312
				Aluminium-Bronze	11A71095
	71 mm	320 mm	2,5 kg	Copper-Beryllium	11A72616
				Aluminium-Bronze	11A72626
	72 mm	320 mm	2,7 kg	Copper-Beryllium	11A72658
				Aluminium-Bronze	11A72704
	73 mm	325 mm	2,7 kg	Copper-Beryllium	11A72659
				Aluminium-Bronze	11A72705
	74 mm	325 mm	2,7 kg	Copper-Beryllium	11A72660
				Aluminium-Bronze	11A72706
	75 mm	325 mm	2,7 kg	Copper-Beryllium	11A70313
				Aluminium-Bronze	11A71096
	76 mm	325 mm	2,7 kg	Copper-Beryllium	11A72662
				Aluminium-Bronze	11A72708

15



NON-SPARKING TOOLS

NON-SPARKING SLOGGING RING WRENCHES

Full catalogue available on our website: www.inpratex.com

15



NON-SPARKING TOOLS



12-POINT - MILIMETERS					
	Size:	Lenght:	Weight:	Alloy:	Item No.:
	77 mm	325 mm	3 kg	Copper-Beryllium	11A72617
				Aluminium-Bronze	11A72627
	78 mm	345 mm	3 kg	Copper-Beryllium	11A72663
				Aluminium-Bronze	11A72709
	79 mm	345 mm	3 kg	Copper-Beryllium	11A72664
				Aluminium-Bronze	11A72710
	80 mm	345 mm	3 kg	Copper-Beryllium	11A70314
				Aluminium-Bronze	11A71097
	81 mm	345 mm	3 kg	Copper-Beryllium	11A72665
				Aluminium-Bronze	11A72711
	82 mm	345 mm	3,3 kg	Copper-Beryllium	11A72666
				Aluminium-Bronze	11A72712
	83 mm	350 mm	3,3 kg	Copper-Beryllium	11A72667
				Aluminium-Bronze	11A72713
	84 mm	350 mm	3,3 kg	Copper-Beryllium	11A72668
				Aluminium-Bronze	11A72714
	85 mm	350 mm	3,3 kg	Copper-Beryllium	11A70315
				Aluminium-Bronze	11A71098
	86 mm	350 mm	3,3 kg	Copper-Beryllium	11A72670
				Aluminium-Bronze	11A72716
	87 mm	350 mm	3,8 kg	Copper-Beryllium	11A72671
				Aluminium-Bronze	11A72717
	88 mm	375 mm	3,8 kg	Copper-Beryllium	11A72672
				Aluminium-Bronze	11A73342
	89 mm	375 mm	3,8 kg	Copper-Beryllium	11A72673
				Aluminium-Bronze	11A72719
	90 mm	375 mm	3,8 kg	Copper-Beryllium	11A70316
				Aluminium-Bronze	11A71099
	92 mm	375 mm	4,5 kg	Copper-Beryllium	11A72675
				Aluminium-Bronze	11A72721
	94 mm	395 mm	4,5 kg	Copper-Beryllium	11A72618
				Aluminium-Bronze	11A72628
	95 mm	395 mm	4,5 kg	Copper-Beryllium	11A70317
				Aluminium-Bronze	11A71100
	97 mm	445 mm	5,5 kg	Copper-Beryllium	11A72661
				Aluminium-Bronze	11A72669
	98 mm	405 mm	5,5 kg	Copper-Beryllium	11A73345
				Aluminium-Bronze	11A73344
	100 mm	405 mm	5,5 kg	Copper-Beryllium	11A70318
				Aluminium-Bronze	11A71101
	105 mm	410 mm	6,5 kg	Copper-Beryllium	11A71074
				Aluminium-Bronze	11A71102
	108 mm	440 mm	7 kg	Copper-Beryllium	11A72645
				Aluminium-Bronze	11A72646
	110 mm	440 mm	7,5 kg	Copper-Beryllium	11A71075
				Aluminium-Bronze	11A71103

NON-SPARKING SLOGGING RING WRENCHES

Full catalogue available on our website: www.inpratex.com

12-POINT - MILIMETERS					
	Size:	Lenght:	Weight:	Alloy:	Item No.:
	115 mm	440 mm	9 kg	Copper-Beryllium	11A71076
				Aluminium-Bronze	11A71104
	120 mm	480 mm	10 kg	Copper-Beryllium	11A71077
		475 mm	10 kg	Aluminium-Bronze	11A71105
	125 mm	490 mm	10,8 kg	Copper-Beryllium	11A71078
				Aluminium-Bronze	11A71106
	130 mm	505 mm	11,3 kg	Copper-Beryllium	11A71079
				Aluminium-Bronze	11A71107
	135 mm	530 mm	12,3 kg	Copper-Beryllium	11A72084
				Aluminium-Bronze	11A72089
	140 mm	550 mm	13,2 kg	Copper-Beryllium	11A72085
				Aluminium-Bronze	11A72090
	145 mm	565 mm	13,6 kg	Copper-Beryllium	11A72086
				Aluminium-Bronze	11A72091
	150 mm	565 mm	14,1 kg	Copper-Beryllium	11A72087
				Aluminium-Bronze	11A72092
	155 mm	565 mm	14,1 kg	Copper-Beryllium	11A72088
				Aluminium-Bronze	11A72093
	160 mm	595 mm	16 kg	Copper-Beryllium	11A72212
				Aluminium-Bronze	11A72210
	165 mm	650 mm	26 kg	Copper-Beryllium	11A36482
			23 kg	Aluminium-Bronze	11A36483
	170 mm	650 mm	25 kg	Copper-Beryllium	11A36484
			23 kg	Aluminium-Bronze	11A36485
	175 mm	650 mm	28 kg	Copper-Beryllium	11A36486
			25 kg	Aluminium-Bronze	11A36487
	180 mm	650 mm	27 kg	Copper-Beryllium	11A36488
			25 kg	Aluminium-Bronze	11A36489

6-POINT - INCHES					
	Size:	Lenght:	Weight:	Alloy:	Item No.:
	5/8 "	150 mm	0,2 kg	Aluminium-Bronze	76007
				Copper-Beryllium	76006
	7/8 "	170 mm	0,3 kg	Aluminium-Bronze	37161
				Copper-Beryllium	37160
	1 "	180 mm	0,3 kg	Aluminium-Bronze	76009
				Copper-Beryllium	76008
	1.1/16 "	180 mm	0,3 kg	Aluminium-Bronze	37163
				Copper-Beryllium	37162
	1.1/8 "	190 mm	0,4 kg	Aluminium-Bronze	76013
				Copper-Beryllium	76012
	1.1/4 "	190 mm	0,4 kg	Aluminium-Bronze	76015
				Copper-Beryllium	76014
	1.3/8 "	200 mm	0,6 kg	Aluminium-Bronze	76017
				Copper-Beryllium	76016

NON-SPARKING SLOGGING RING WRENCHES

Full catalogue available on our website: www.inpratex.com

6-POINT - INCHES					
	Size:	Lenght:	Weight:	Alloy:	Item No.:
	1.7/16 "	200 mm	0,6 kg	Aluminium-Bronze	11A37165
				Copper-Beryllium	11A37164
	1.1/2 "	200 mm	0,6 kg	Aluminium-Bronze	11A37167
				Copper-Beryllium	11A37166
	1.5/8 "	230 mm	0,7 kg	Aluminium-Bronze	11A76019
				Copper-Beryllium	11A76018
	1.3/4 "	240 mm	1,2 kg	Aluminium-Bronze	11A37169
				Copper-Beryllium	11A37168
	1.7/8 "	240 mm	1,2 kg	Aluminium-Bronze	11A76025
				Copper-Beryllium	11A76024
	2 "	250 mm	1,2 kg	Aluminium-Bronze	11A37053
				Copper-Beryllium	11A37051
	2.3/16 "	270 mm	1,4 kg	Aluminium-Bronze	11A76027
				Copper-Beryllium	11A76026
	2.1/4 "	280 mm	1,6 kg	Aluminium-Bronze	11A76029
				Copper-Beryllium	11A76028
	2.3/8 "	280 mm	1,6 kg	Aluminium-Bronze	11A76031
				Copper-Beryllium	11A76030
	2.1/2 "	290 mm	2 kg	Aluminium-Bronze	11A76034
				Copper-Beryllium	11A76033
	2.9/16 "	290 mm	2 kg	Aluminium-Bronze	11A76036
				Copper-Beryllium	11A76035
	2.3/4 "	320 mm	2,7 kg	Aluminium-Bronze	11A76038
				Copper-Beryllium	11A76037
	2.7/8 "	320 mm	2,7 kg	Aluminium-Bronze	11A37171
				Copper-Beryllium	11A37170
	2.15/16 "	320 mm	2,7 kg	Aluminium-Bronze	11A37054
				Copper-Beryllium	11A37052
	3.1/2 "	380 mm	4,3 kg	Aluminium-Bronze	11A37172
				Copper-Beryllium	11A72718
	3.7/8 "	410 mm	6,4 kg	Aluminium-Bronze	11A37173
				Copper-Beryllium	11A72722

12-POINT - INCHES					
	Size:	Lenght:	Weight:	Alloy:	Item No.:
	1/2 "	125 mm	0,1 kg	Aluminium-Bronze	11A74764
				Copper-Beryllium	11A74763
	5/8 "	145 mm	0,1 kg	Aluminium-Bronze	11A72127
				Copper-Beryllium	11A72121
	11/16 "	145 mm	0,1 kg	Aluminium-Bronze	11A71133
				Copper-Beryllium	11A71108
	3/4 "	145 mm	0,1 kg	Aluminium-Bronze	11A71134
				Copper-Beryllium	11A71109
	13/16 "	170 mm	0,2 kg	Aluminium-Bronze	11A72676
				Copper-Beryllium	11A72674

NON-SPARKING SLOGGING RING WRENCHES

Full catalogue available on our website: www.inpratex.com

12-POINT - INCHES					
	Size:	Lenght:	Weight:	Alloy:	Item No.:
	7/8 "	170 mm	0,2 kg	Aluminium-Bronze	11A71135
				Copper-Beryllium	11A71110
	15/16 "	170 mm	0,2 kg	Aluminium-Bronze	11A72303
				Copper-Beryllium	11A75400
	1 "	180 mm	0,3 kg	Aluminium-Bronze	11A71136
				Copper-Beryllium	11A71111
	1.1/16 "	180 mm	0,3 kg	Aluminium-Bronze	11A71137
				Copper-Beryllium	11A71112
	1.1/8 "	190 mm	0,4 kg	Aluminium-Bronze	11A72128
				Copper-Beryllium	11A72122
	1.3/16 "	190 mm	0,4 kg	Aluminium-Bronze	11A71138
				Copper-Beryllium	11A71113
	1.1/4 "	190 mm	0,5 kg	Aluminium-Bronze	11A71139
				Copper-Beryllium	11A71114
	1.5/16 "	190 mm	0,5 kg	Aluminium-Bronze	11A71789
				Copper-Beryllium	11A75397
	1.3/8 "	200 mm	0,5 kg	Aluminium-Bronze	11A72129
				Copper-Beryllium	11A72123
	1.13/32 "	200 mm	0,5 kg	Aluminium-Bronze	11A71140
				Copper-Beryllium	11A71115
	1.7/16 "	200 mm	0,5 kg	Aluminium-Bronze	11A71791
				Copper-Beryllium	11A72301
	1.1/2 "	225 mm	0,8 kg	Aluminium-Bronze	11A72130
				Copper-Beryllium	11A72124
	1.9/16 "	225 mm	0,8 kg	Aluminium-Bronze	11A71793
				Copper-Beryllium	11A75398
	1.5/8 "	225 mm	0,8 kg	Aluminium-Bronze	11A71141
				Copper-Beryllium	11A71116
	1.11/16 "	225 mm	0,8 kg	Aluminium-Bronze	11A71794
				Copper-Beryllium	11A75406
	1.3/4 "	235 mm	0,9 kg	Aluminium-Bronze	11A72131
				Copper-Beryllium	11A72125
	1.13/16 "	235 mm	0,9 kg	Aluminium-Bronze	11A71142
				Copper-Beryllium	11A71117
	1.7/8 "	245 mm	1,2 kg	Aluminium-Bronze	11A72132
				Copper-Beryllium	11A72126
	1.15/16 "	245 mm	1,2 kg	Aluminium-Bronze	11A71797
				Copper-Beryllium	11A75399
	2 "	245 mm	1,2 kg	Aluminium-Bronze	11A71143
				Copper-Beryllium	11A71118
	2.1/16 "	265 mm	1,4 kg	Aluminium-Bronze	11A71798
				Copper-Beryllium	11A75401
	2.1/8 "	265 mm	1,4 kg	Aluminium-Bronze	11A71799
				Copper-Beryllium	11A75402
	2.3/16 "	265 mm	1,4 kg	Aluminium-Bronze	11A71800
				Copper-Beryllium	11A72954

15



NON-SPARKING TOOLS

NON-SPARKING SLOGGING RING WRENCHES

Full catalogue available on our website: www.inpratex.com

15



NON-SPARKING TOOLS



12-POINT - INCHES					
	Size:	Lenght:	Weight:	Alloy:	Item No.:
	2.13/64 "	265 mm	1,4 kg	Aluminium-Bronze	11A75404
				Copper-Beryllium	11A75403
	2.1/4 "	265 mm	1,7 kg	Aluminium-Bronze	11A71144
				Copper-Beryllium	11A71119
	2.5/16 "	275 mm	1,7 kg	Aluminium-Bronze	11A71145
				Copper-Beryllium	11A71120
	2.3/8 "	275 mm	1,7 kg	Aluminium-Bronze	11A71146
				Copper-Beryllium	11A71121
	2.7/16 "	275 mm	2 kg	Aluminium-Bronze	11A71801
				Copper-Beryllium	11A75405
	2.1/2 "	290 mm	2 kg	Aluminium-Bronze	11A71147
				Copper-Beryllium	11A71122
	2.9/16 "	290 mm	2 kg	Aluminium-Bronze	11A71148
				Copper-Beryllium	11A71123
	2.5/8 "	320 mm	2,5 kg	Aluminium-Bronze	11A71149
				Copper-Beryllium	11A71124
	2.3/4 "	320 mm	2,5 kg	Aluminium-Bronze	11A71150
				Copper-Beryllium	11A71125
	2.13/16 "	320 mm	2,5 kg	Aluminium-Bronze	11A77259
				Copper-Beryllium	11A77258
	2.7/8 "	325 mm	2,5 kg	Aluminium-Bronze	11A36481
				Copper-Beryllium	11A36480
	2.15/16 "	325 mm	2,7 kg	Aluminium-Bronze	11A71151
				Copper-Beryllium	11A71126
	3 "	325 mm	2,7 kg	Aluminium-Bronze	11A71152
				Copper-Beryllium	11A71127
	3.1/16 "	325 mm	3 kg	Aluminium-Bronze	11A71153
				Copper-Beryllium	11A71128
	3.1/8 "	345 mm	3 kg	Aluminium-Bronze	11A71154
				Copper-Beryllium	11A71129
	3.1/4 "	345 mm	3,3 kg	Aluminium-Bronze	11A77261
				Copper-Beryllium	11A77260
	3.3/8 "	350 mm	3,3 kg	Aluminium-Bronze	11A71155
				Copper-Beryllium	11A71130
	3.1/2 "	375 mm	3,8 kg	Aluminium-Bronze	11A76851
				Copper-Beryllium	11A76850
	3.9/16 "	375 mm	3,8 kg	Aluminium-Bronze	11A71156
				Copper-Beryllium	11A71131
	3.5/8 "	375 mm	4 kg	Aluminium-Bronze	11A76852
				Copper-Beryllium	11A76849
	3.3/4 "	395 mm	4 kg	Aluminium-Bronze	11A71157
				Copper-Beryllium	11A71132
	3.7/8 "	405 mm	5,5 kg	Aluminium-Bronze	11A75407
				Copper-Beryllium	11A74335
	3.15/16 "	405 mm	5,5 kg	Aluminium-Bronze	11A75409
				Copper-Beryllium	11A75408

NON-SPARKING SLOGGING RING WRENCHES

Full catalogue available on our website: www.inpratex.com

12-POINT - INCHES					
	Size:	Lenght:	Weight:	Alloy:	Item No.:
	4 "	405 mm	5,5 kg	Aluminium-Bronze	11A77263
				Copper-Beryllium	11A77262
	4.1/8 "	410 mm	6,5 kg	Aluminium-Bronze	11A75411
				Copper-Beryllium	11A75410
	4.1/4 "	410 mm	8,5 kg	Aluminium-Bronze	11A74332
				Copper-Beryllium	11A74331
	4.5/16 "	435 mm	8,5 kg	Aluminium-Bronze	11A77265
				Copper-Beryllium	11A77264
	4.1/2 "	435 mm	9 kg	Aluminium-Bronze	11A75413
				Copper-Beryllium	11A75412
	4.9/16 "	435 mm	9 kg	Aluminium-Bronze	11A77267
				Copper-Beryllium	11A77266
	4.5/8 "	435 mm	9 kg	Aluminium-Bronze	11A75415
				Copper-Beryllium	11A75414
	4.11/16 "	475 mm	10 kg	Aluminium-Bronze	11A75417
				Copper-Beryllium	11A75416
	4.7/8 "	490 mm	10,8 kg	Aluminium-Bronze	11A74334
				Copper-Beryllium	11A74333
	4.15/16 "	490 mm	10,8 kg	Aluminium-Bronze	11A77269
				Copper-Beryllium	11A77268
	5.1/8 "	505 mm	11,3 kg	Aluminium-Bronze	11A77271
				Copper-Beryllium	11A77270
	5.3/8 "	530 mm	12,2 kg	Aluminium-Bronze	11A77273
				Copper-Beryllium	11A77272
	5.11/16 "	565 mm	13,6 kg	Aluminium-Bronze	11A77275
				Copper-Beryllium	11A77274
	6 "	565 mm	14,1 kg	Aluminium-Bronze	11A77277
				Copper-Beryllium	11A77276

15



NON-SPARKING TOOLS