

NON-SPARKING STRUCTURAL WRENCHES

Full catalogue available on our website: www.inpratex.com

NON-SPARKING TOOLS

ZONES 1, 2 (gas) & 21, 22 (dust)

Non-sparking structural wrenches, made of Copper-Beryllium (Cu-Be) or Aluminium-Bronze (Al-Bron) alloys, suitable for use in potentially explosive atmospheres. These Non-sparking structural wrenches are certified by the BAM Certification Body, stating that the materials from which they are made are suitable for use in potentially explosive atmospheres, in zones 1 and/or 21 of all explosion groups (I, IIA, IIB and IIC).

OFFSET RING STRUCTURAL WRENCHES - MILLIMETERS

	Size:	Length:	Weight:	Alloy:	Item No.:
	10 mm	200 mm	90 gr	Copper-Beryllium	10A75424
				Aluminium-Bronze	10A75425
	11 mm	210 mm	100 gr	Copper-Beryllium	10A75426
				Aluminium-Bronze	10A75427
	12 mm	220 mm	110 gr	Copper-Beryllium	10A75428
				Aluminium-Bronze	10A75429
	13 mm	230 mm	120 gr	Copper-Beryllium	10A75430
				Aluminium-Bronze	10A75431
	14 mm	240 mm	140 gr	Copper-Beryllium	10A75432
				Aluminium-Bronze	10A75433
	15 mm	250 mm	170 gr	Copper-Beryllium	10A75434
				Aluminium-Bronze	10A75435
	16 mm	260 mm	190 gr	Copper-Beryllium	10A75436
				Aluminium-Bronze	10A75437
	17 mm	270 mm	200 gr	Copper-Beryllium	10A75438
				Aluminium-Bronze	10A75439
	18 mm	270 mm	230 gr	Copper-Beryllium	10A77436
				Aluminium-Bronze	10A77437
	19 mm	270 mm	330 gr	Copper-Beryllium	10A75440
				Aluminium-Bronze	10A75441
	20 mm	270 mm	330 gr	Copper-Beryllium	10A77438
				Aluminium-Bronze	10A77439
	21 mm	270 mm	360 gr	Copper-Beryllium	10A75442
				Aluminium-Bronze	10A75443
	22 mm	270 mm	500 gr	Copper-Beryllium	10A70248
				Aluminium-Bronze	10A71732
	23 mm	290 mm	500 gr	Copper-Beryllium	10A76523
				Aluminium-Bronze	10A76524
	24 mm	290 mm	500 gr	Copper-Beryllium	10A70249
				Aluminium-Bronze	10A71733
	25 mm	320 mm	500 gr	Copper-Beryllium	10A77440
				Aluminium-Bronze	10A77441
	26 mm	320 mm	500 gr	Copper-Beryllium	10A77442
				Aluminium-Bronze	10A77443
	27 mm	320 mm	700 gr	Copper-Beryllium	10A70250
				Aluminium-Bronze	10A71734
	28 mm	350 mm	700 gr	Copper-Beryllium	10A77444
				Aluminium-Bronze	10A77445
	29 mm	350 mm	700 gr	Copper-Beryllium	10A77446
				Aluminium-Bronze	10A77447

NON-SPARKING STRUCTURAL WRENCHES

Full catalogue available on our website: www.inpratex.com

OFFSET RING STRUCTURAL WRENCHES - MILLIMETERS

	Size:	Length:	Weight:	Alloy:	Item No.:
	30 mm	350 mm	800 gr	Copper-Beryllium	11A70251
				Aluminium-Bronze	11A71735
	32 mm	370 mm	800 gr	Copper-Beryllium	11A70252
				Aluminium-Bronze	11A71736
	33 mm	390 mm	800 gr	Copper-Beryllium	11A77448
				Aluminium-Bronze	11A77449
	34 mm	390 mm	900 gr	Copper-Beryllium	11A77450
				Aluminium-Bronze	11A77451
	35 mm	390 mm	900 gr	Copper-Beryllium	11A77452
				Aluminium-Bronze	11A77453
	36 mm	390 mm	1000 gr	Copper-Beryllium	11A70253
				Aluminium-Bronze	11A71737
	37 mm	400 mm	1000 gr	Copper-Beryllium	11A77454
				Aluminium-Bronze	11A77455
	38 mm	400 mm	1000 gr	Copper-Beryllium	11A70254
				Aluminium-Bronze	11A71738
	41 mm	410 mm	1000 gr	Copper-Beryllium	11A70255
				Aluminium-Bronze	11A71739
	42 mm	420 mm	1100 gr	Copper-Beryllium	11A77456
				Aluminium-Bronze	11A77457
	44 mm	420 mm	1100 gr	Copper-Beryllium	11A70256
				Aluminium-Bronze	11A71740
	46 mm	420 mm	1100 gr	Copper-Beryllium	11A70257
				Aluminium-Bronze	11A71741
	47 mm	430 mm	1300 gr	Copper-Beryllium	11A77458
				Aluminium-Bronze	11A77459
	50 mm	430 mm	1300 gr	Copper-Beryllium	11A70258
				Aluminium-Bronze	11A71742
	55 mm	550 mm	2100 gr	Copper-Beryllium	11A75444
				Aluminium-Bronze	11A75445
	60 mm	600 mm	2500 gr	Copper-Beryllium	11A75446
				Aluminium-Bronze	11A75447

OFFSET RING STRUCTURAL WRENCHES - INCHES

	Size:	Length:	Weight:	Alloy:	Item No.:
	11/16 "	310 mm	190 gr	Copper-Beryllium	11A77460
				Aluminium-Bronze	11A77461
	3/4 "	330 mm	240 gr	Copper-Beryllium	11A77462
				Aluminium-Bronze	11A77463
	25/32 "	330 mm	240 gr	Copper-Beryllium	11A77464
				Aluminium-Bronze	11A77465
	13/16 "	350 mm	300 gr	Copper-Beryllium	11A77466
				Aluminium-Bronze	11A77467
	7/8 "	350 mm	300 gr	Copper-Beryllium	11A76839
				Aluminium-Bronze	11A76840

NON-SPARKING STRUCTURAL WRENCHES

Full catalogue available on our website: www.inpratex.com

15



NON-SPARKING TOOLS

OFFSET RING STRUCTURAL WRENCHES - INCHES

	Size:	Lenght:	Weight:	Alloy:	Item No.:
	15/16 "	370 mm	380 gr	Copper-Beryllium	11A76841
				Aluminium-Bronze	11A76842
	31/32 "	370 mm	380 gr	Copper-Beryllium	11A77468
				Aluminium-Bronze	11A77469
	1 "	400 mm	480 gr	Copper-Beryllium	11A77470
				Aluminium-Bronze	11A77471
	1.1/16 "	400 mm	480 gr	Copper-Beryllium	11A77472
				Aluminium-Bronze	11A77473
	1.1/8 "	430 mm	650 gr	Copper-Beryllium	11A77474
				Aluminium-Bronze	11A77475
	1.3/16 "	430 mm	650 gr	Copper-Beryllium	11A77476
				Aluminium-Bronze	11A77477
	1.1/4 "	430 mm	700 gr	Copper-Beryllium	11A74608
				Aluminium-Bronze	11A74609
	1.5/16 "	430 mm	700 gr	Copper-Beryllium	11A77478
				Aluminium-Bronze	11A77479
	1.3/8 "	460 mm	900 gr	Copper-Beryllium	11A77480
				Aluminium-Bronze	11A77481
	1.7/16 "	460 mm	900 gr	Copper-Beryllium	11A74612
				Aluminium-Bronze	11A74613
	1.1/2 "	490 mm	1150 gr	Copper-Beryllium	11A74610
				Aluminium-Bronze	11A74611
	1.9/16 "	490 mm	1150 gr	Copper-Beryllium	11A77482
				Aluminium-Bronze	11A77483
	1.5/8 "	490 mm	1200 gr	Copper-Beryllium	11A74614
				Aluminium-Bronze	11A74615
	1.11/16 "	490 mm	1200 gr	Copper-Beryllium	11A77484
				Aluminium-Bronze	11A77485
	1.3/4 "	500 mm	1500 gr	Copper-Beryllium	11A77486
				Aluminium-Bronze	11A77487
	1.13/16 "	500 mm	1500 gr	Copper-Beryllium	11A74616
				Aluminium-Bronze	11A74617
	1.7/8 "	520 mm	1500 gr	Copper-Beryllium	11A77488
				Aluminium-Bronze	11A77489
	2 "	550 mm	1900 gr	Copper-Beryllium	11A74618
				Aluminium-Bronze	11A74619

OFFSET OPEN END STRUCTURAL WRENCHES - MILLIMETERS

	Size:	Lenght:	Weight:	Alloy:	Item No.:
	17 mm	320 mm	210 gr	Copper-Beryllium	10A75450
				Aluminium-Bronze	10A75451
	18 mm	350 mm	300 gr	Copper-Beryllium	10A77490
				Aluminium-Bronze	10A77491
	19 mm	350 mm	320 gr	Copper-Beryllium	10A75452
				Aluminium-Bronze	10A75453

NON-SPARKING STRUCTURAL WRENCHES

Full catalogue available on our website: www.inpratex.com

OFFSET OPEN END STRUCTURAL WRENCHES - MILIMETERS

	Size:	Lenght:	Weight:	Alloy:	Item No.:
	20 mm	350 mm	320 gr	Copper-Beryllium	10A77492
				Aluminium-Bronze	10A77493
	21 mm	350 mm	410 gr	Copper-Beryllium	10A77494
				Aluminium-Bronze	10A77495
	22 mm	350 mm	430 gr	Copper-Beryllium	10A75454
				Aluminium-Bronze	10A75455
	23 mm	370 mm	450 gr	Copper-Beryllium	10A77496
				Aluminium-Bronze	10A77497
	24 mm	370 mm	480 gr	Copper-Beryllium	10A75456
				Aluminium-Bronze	10A75457
	25 mm	370 mm	480 gr	Copper-Beryllium	10A77498
				Aluminium-Bronze	10A77499
	26 mm	370 mm	600 gr	Copper-Beryllium	10A77500
				Aluminium-Bronze	10A77501
	27 mm	370 mm	650 gr	Copper-Beryllium	10A75458
				Aluminium-Bronze	10A75459
	28 mm	370 mm	650 gr	Copper-Beryllium	10A77502
				Aluminium-Bronze	10A77503
	29 mm	400 mm	750 gr	Copper-Beryllium	10A77504
				Aluminium-Bronze	10A77505
	30 mm	400 mm	800 gr	Copper-Beryllium	10A75460
				Aluminium-Bronze	10A75461
	32 mm	400 mm	850 gr	Copper-Beryllium	10A73940
				Aluminium-Bronze	10A73941
	33 mm	400 mm	850 gr	Copper-Beryllium	10A77506
				Aluminium-Bronze	10A77507
	34 mm	430 mm	900 gr	Copper-Beryllium	10A77508
				Aluminium-Bronze	10A77509
	35 mm	430 mm	900 gr	Copper-Beryllium	10A77510
				Aluminium-Bronze	10A77511
	36 mm	430 mm	1200 gr	Copper-Beryllium	10A73942
				Aluminium-Bronze	10A73943
	37 mm	430 mm	1200 gr	Copper-Beryllium	10A77512
				Aluminium-Bronze	10A77513
	38 mm	470 mm	1200 gr	Copper-Beryllium	10A77514
				Aluminium-Bronze	10A77515
	41 mm	470 mm	1900 gr	Copper-Beryllium	10A73944
				Aluminium-Bronze	10A73945
	42 mm	470 mm	1900 gr	Copper-Beryllium	10A77516
				Aluminium-Bronze	10A77517
	46 mm	500 mm	2800 gr	Copper-Beryllium	10A73946
				Aluminium-Bronze	10A73947
	47 mm	500 mm	2800 gr	Copper-Beryllium	10A77518
				Aluminium-Bronze	10A77519
	50 mm	550 mm	3700 gr	Copper-Beryllium	10A73948
				Aluminium-Bronze	10A73949

15



NON-SPARKING TOOLS

NON-SPARKING STRUCTURAL WRENCHES

Full catalogue available on our website: www.inpratex.com

15



NON-SPARKING TOOLS



OFFSET OPEN END STRUCTURAL WRENCHES - INCHES

	Size:	Lenght:	Weight:	Alloy:	Item No.:
	11/16 "	320 mm	200 gr	Copper-Beryllium	10A77520
				Aluminium-Bronze	10A77521
	3/4 "	350 mm	300 gr	Copper-Beryllium	10A77522
				Aluminium-Bronze	10A77523
	25/32 "	350 mm	300 gr	Copper-Beryllium	10A77524
				Aluminium-Bronze	10A77525
	13/16 "	350 mm	410 gr	Copper-Beryllium	10A77526
				Aluminium-Bronze	10A77527
	7/8 "	350 mm	410 gr	Copper-Beryllium	10A77528
				Aluminium-Bronze	10A77529
	15/16 "	370 mm	450 gr	Copper-Beryllium	10A77530
				Aluminium-Bronze	10A77531
	1.1/16 "	370 mm	600 gr	Copper-Beryllium	10A77532
				Aluminium-Bronze	10A77533
	1.1/8 "	400 mm	750 gr	Copper-Beryllium	10A77534
				Aluminium-Bronze	10A77535
	1.3/16 "	400 mm	750 gr	Copper-Beryllium	10A77536
				Aluminium-Bronze	10A77537
	1.1/4 "	400 mm	750 gr	Copper-Beryllium	10A77538
				Aluminium-Bronze	10A77539
	1.5/16 "	400 mm	750 gr	Copper-Beryllium	10A77540
				Aluminium-Bronze	10A77541
	1.3/8 "	430 mm	900 gr	Copper-Beryllium	10A77542
				Aluminium-Bronze	10A77543
	1.7/16 "	430 mm	900 gr	Copper-Beryllium	10A77544
				Aluminium-Bronze	10A77545
	1.1/2 "	470 mm	1200 gr	Copper-Beryllium	10A77546
				Aluminium-Bronze	10A77547
	1.9/16 "	470 mm	1200 gr	Copper-Beryllium	10A77548
				Aluminium-Bronze	10A77549
	1.5/8 "	470 mm	1200 gr	Copper-Beryllium	10A77550
				Aluminium-Bronze	10A77551
	1.11/16 "	470 mm	1200 gr	Copper-Beryllium	10A77552
				Aluminium-Bronze	10A77553
	1.3/4 "	500 mm	1500 gr	Copper-Beryllium	10A77554
				Aluminium-Bronze	10A77555
	1.13/16 "	500 mm	1500 gr	Copper-Beryllium	10A77556
				Aluminium-Bronze	10A77557
	1.7/8 "	500 mm	1500 gr	Copper-Beryllium	10A77558
				Aluminium-Bronze	10A77559
	2 "	530 mm	1700 gr	Copper-Beryllium	10A77560
				Aluminium-Bronze	10A77561

NON-SPARKING STRUCTURAL WRENCHES

Full catalogue available on our website: www.inpratex.com

RATCHET STRUCTURAL WRENCH					
	Size:	Lenght:	Weight:	Alloy:	Item No.:
	32 mm	320 mm	1000 gr	Copper-Beryllium	10A79035
				Aluminium-Bronze	10A79034

PODGING WRENCH					
	Size:	Lenght:	Weight:	Alloy:	Item No.:
	10-13 mm	210 mm	350 gr	Copper-Beryllium	11A36736
				Aluminium-Bronze	11A36747
	12-14 mm	210 mm	350 gr	Copper-Beryllium	11A36737
				Aluminium-Bronze	11A36748
	13-17 mm	250 mm	410 gr	Copper-Beryllium	11A36738
				Aluminium-Bronze	11A36749
	17-19 mm	290 mm	450 gr	Copper-Beryllium	11A36739
				Aluminium-Bronze	11A36750
	19-21 mm	310 mm	580 gr	Copper-Beryllium	11A36740
				Aluminium-Bronze	11A36751
	19-22 mm	310 mm	580 gr	Copper-Beryllium	11A36072
				Aluminium-Bronze	11A36073
	19-24 mm	330 mm	620 gr	Copper-Beryllium	11A36741
				Aluminium-Bronze	11A36752
	22-24 mm	330 mm	620 gr	Copper-Beryllium	11A36742
				Aluminium-Bronze	11A36753
	24-27 mm	350 mm	730 gr	Copper-Beryllium	11A35792
				Aluminium-Bronze	11A35793
	24-30 mm	370 mm	800 gr	Copper-Beryllium	11A36743
				Aluminium-Bronze	11A36754
	27-32 mm	370 mm	900 gr	Copper-Beryllium	11A36744
				Aluminium-Bronze	11A36755
	30-32 mm	370 mm	900 gr	Copper-Beryllium	11A35794
				Aluminium-Bronze	11A35795
	32-36 mm	390 mm	1150 gr	Copper-Beryllium	11A36745
				Aluminium-Bronze	11A36756
	36-41 mm	390 mm	1500 gr	Copper-Beryllium	11A36746
				Aluminium-Bronze	11A36757

15



NON-SPARKING TOOLS