

NON-SPARKING WRENCHES FOR EXTENSION

Full catalogue available on our website: www.inpratex.com

NON-SPARKING TOOLS

ZONES 1, 2 (gas) & 21, 22 (dust)

Non-sparking wrenches for extension, made of Copper-Beryllium (Cu-Be) or Aluminium-Bronze (Al-Bron) alloys, suitable for use in potentially explosive atmospheres. These Non-sparking wrenches for extension are certified by the BAM Certification Body, stating that the materials from which they are made are suitable for use in potentially explosive atmospheres, in zones 1 and/or 21 of all explosion groups (I, IIA, IIB and IIC).

RING SPANNER - MILIMETERS					
	Size:	Lenght:	Weight:	Alloy:	Item No.:
	22 mm	180 mm	460 gr	Copper-Beryllium	11A36330
			400 gr	Aluminium-Bronze	11A36331
	24 mm	180 mm	480 gr	Copper-Beryllium	11A73688
			430 gr	Aluminium-Bronze	11A73689
	27 mm	190 mm	500 gr	Copper-Beryllium	11A73472
			480 gr	Aluminium-Bronze	11A73396
	30 mm	200 mm	600 gr	Copper-Beryllium	11A70957
			530 gr	Aluminium-Bronze	11A70982
	32 mm	235 mm	800 gr	Copper-Beryllium	11A70958
			720 gr	Aluminium-Bronze	11A70983
	33 mm	240 mm	900 gr	Copper-Beryllium	11A77368
			730 gr	Aluminium-Bronze	11A77369
	34 mm	240 mm	850 gr	Copper-Beryllium	11A70959
			750 gr	Aluminium-Bronze	11A70984
	35 mm	240 mm	900 gr	Copper-Beryllium	11A70960
			780 gr	Aluminium-Bronze	11A70985
	36 mm	245 mm	900 gr	Copper-Beryllium	11A70961
			820 gr	Aluminium-Bronze	11A70986
	37 mm	245 mm	1000 gr	Copper-Beryllium	11A70962
			840 gr	Aluminium-Bronze	11A70987
	38 mm	255 mm	1000 gr	Copper-Beryllium	11A70963
			880 gr	Aluminium-Bronze	11A70988
	41 mm	265 mm	1100 gr	Copper-Beryllium	11A70964
			960 gr	Aluminium-Bronze	11A70989
	42 mm	265 mm	1100 gr	Copper-Beryllium	11A70965
			990 gr	Aluminium-Bronze	11A70990
	46 mm	280 mm	1500 gr	Copper-Beryllium	11A70966
			1340 gr	Aluminium-Bronze	11A70991
	47 mm	280 mm	1550 gr	Copper-Beryllium	11A70967
			1380 gr	Aluminium-Bronze	11A70992
	50 mm	290 mm	1700 gr	Copper-Beryllium	11A70968
			1530 gr	Aluminium-Bronze	11A70993
	52 mm	290 mm	1750 gr	Copper-Beryllium	11A70969
			1580 gr	Aluminium-Bronze	11A70994
	54 mm	300 mm	1800 gr	Copper-Beryllium	11A70970
			1630 gr	Aluminium-Bronze	11A70995
	55 mm	300 mm	1850 gr	Copper-Beryllium	11A70971
			1670 gr	Aluminium-Bronze	11A70996
	56 mm	310 mm	2100 gr	Copper-Beryllium	11A70972
			1750 gr	Aluminium-Bronze	11A70997

15



NON-SPARKING TOOLS

NON-SPARKING WRENCHES FOR EXTENSION

Full catalogue available on our website: www.inpratex.com

15



NON-SPARKING TOOLS

RING SPANNER - MILLIMETERS					
	Size:	Length:	Weight:	Alloy:	Item No.:
	58 mm	340 mm	2450 gr	Copper-Beryllium	11A70973
			2000 gr	Aluminium-Bronze	11A70998
	60 mm	350 mm	2950 gr	Copper-Beryllium	11A70974
			2670 gr	Aluminium-Bronze	11A70999
	63 mm	350 mm	3200 gr	Copper-Beryllium	11A70975
			2850 gr	Aluminium-Bronze	11A71000
	65 mm	360 mm	3400 gr	Copper-Beryllium	11A70976
			3060 gr	Aluminium-Bronze	11A71001
	67 mm	360 mm	3550 gr	Copper-Beryllium	11A70977
			3250 gr	Aluminium-Bronze	11A71002
	70 mm	370 mm	3900 gr	Copper-Beryllium	11A70978
			3530 gr	Aluminium-Bronze	11A71003
	71 mm	370 mm	4100 gr	Copper-Beryllium	11A70979
			3630 gr	Aluminium-Bronze	11A71004
	75 mm	380 mm	4350 gr	Copper-Beryllium	11A70980
			3920 gr	Aluminium-Bronze	11A71005
	77 mm	380 mm	4600 gr	Copper-Beryllium	11A70981
			4250 gr	Aluminium-Bronze	11A71006
	80 mm	390 mm	5200 gr	Copper-Beryllium	11A77370
			4680 gr	Aluminium-Bronze	11A77371
	82 mm	400 mm	5400 gr	Copper-Beryllium	11A77372
			4800 gr	Aluminium-Bronze	11A77373
	85 mm	420 mm	6000 gr	Copper-Beryllium	11A77374
			5000 gr	Aluminium-Bronze	11A77375

RING SPANNER - INCHES					
	Size:	Length:	Weight:	Alloy:	Item No.:
	1.3/16 "	200 mm	900 gr	Copper-Beryllium	11A77376
				Aluminium-Bronze	11A77377
	1.1/4 "	230 mm	900 gr	Copper-Beryllium	11A77378
				Aluminium-Bronze	11A77379
	1.5/16 "	230 mm	900 gr	Copper-Beryllium	11A77380
				Aluminium-Bronze	11A77381
	1.3/8 "	240 mm	900 gr	Copper-Beryllium	11A77382
				Aluminium-Bronze	11A77383
	1.7/16 "	240 mm	900 gr	Copper-Beryllium	11A77384
				Aluminium-Bronze	11A77385
	1.1/2 "	260 mm	1000 gr	Copper-Beryllium	11A77386
				Aluminium-Bronze	11A77387
	1.9/16 "	260 mm	1000 gr	Copper-Beryllium	11A77388
				Aluminium-Bronze	11A77389
	1.5/8 "	260 mm	1000 gr	Copper-Beryllium	11A77390
				Aluminium-Bronze	11A77391
	1.11/16 "	260 mm	1000 gr	Copper-Beryllium	11A77392
				Aluminium-Bronze	11A77393

NON-SPARKING WRENCHES FOR EXTENSION

Full catalogue available on our website: www.inpratex.com

RING SPANNER - INCHES					
	Size:	Lenght:	Weight:	Alloy:	Item No.:
	1.3/4 "	280 mm	1500 gr	Copper-Beryllium	11A77394
				Aluminium-Bronze	11A77395
	1.13/16 "	280 mm	1500 gr	Copper-Beryllium	11A77396
				Aluminium-Bronze	11A77397
	1.7/8 "	280 mm	1500 gr	Copper-Beryllium	11A77398
				Aluminium-Bronze	11A77399
	2 "	290 mm	1600 gr	Copper-Beryllium	11A77400
				Aluminium-Bronze	11A77401
	2.1/16 "	300 mm	1700 gr	Copper-Beryllium	11A77402
				Aluminium-Bronze	11A77403
	2.1/8 "	300 mm	1700 gr	Copper-Beryllium	11A77404
				Aluminium-Bronze	11A77405
	2.3/16 "	300 mm	1800 gr	Copper-Beryllium	11A77406
				Aluminium-Bronze	11A77407
	2.1/4 "	300 mm	1800 gr	Copper-Beryllium	11A77408
				Aluminium-Bronze	11A77409
	2.5/16 "	345 mm	2800 gr	Copper-Beryllium	11A77410
				Aluminium-Bronze	11A77411
	2.3/8 "	345 mm	2800 gr	Copper-Beryllium	11A77412
				Aluminium-Bronze	11A77413
	2.7/16 "	345 mm	2800 gr	Copper-Beryllium	11A77414
				Aluminium-Bronze	11A77415
	2.1/2 "	355 mm	3200 gr	Copper-Beryllium	11A77416
				Aluminium-Bronze	11A77417
	2.9/16 "	355 mm	3200 gr	Copper-Beryllium	11A77418
				Aluminium-Bronze	11A77419
	2.5/8 "	355 mm	3200 gr	Copper-Beryllium	11A77420
				Aluminium-Bronze	11A77421
	2.3/4 "	365 mm	3700 gr	Copper-Beryllium	11A77422
				Aluminium-Bronze	11A77423
	2.13/16 "	365 mm	3700 gr	Copper-Beryllium	11A77424
				Aluminium-Bronze	11A77425
	2.15/16 "	375 mm	4100 gr	Copper-Beryllium	11A77426
				Aluminium-Bronze	11A77427
	3 "	375 mm	4100 gr	Copper-Beryllium	11A77428
				Aluminium-Bronze	11A77429
	3.1/8 "	385 mm	4900 gr	Copper-Beryllium	11A77430
				Aluminium-Bronze	11A77431
	3.1/4 "	385 mm	4900 gr	Copper-Beryllium	11A77432
				Aluminium-Bronze	11A77433
	3.3/8 "	385 mm	4900 gr	Copper-Beryllium	11A77434
				Aluminium-Bronze	11A77435

15



NON-SPARKING TOOLS

NON-SPARKING WRENCHES FOR EXTENSION

Full catalogue available on our website: www.inpratex.com

15



NON-SPARKING TOOLS

OPEN-END WRENCH - MILIMETERS					
	Size:	Lenght:	Weight:	Alloy:	Item No.:
	22 mm	200 mm	410 gr	Copper-Beryllium	11A36368
				Aluminium-Bronze	11A36350
	24 mm	230 mm	460 gr	Copper-Beryllium	11A36369
				Aluminium-Bronze	11A36351
	27 mm	260 mm	540 gr	Copper-Beryllium	11A36370
				Aluminium-Bronze	11A36352
	30 mm	280 mm	660 gr	Copper-Beryllium	11A36371
				Aluminium-Bronze	11A36353
	32 mm	300 mm	810 gr	Copper-Beryllium	11A36372
				Aluminium-Bronze	11A36354
	36 mm	330 mm	950 gr	Copper-Beryllium	11A36373
				Aluminium-Bronze	11A36355
	41 mm	350 mm	1120 gr	Copper-Beryllium	11A36374
				Aluminium-Bronze	11A36356
	46 mm	380 mm	1550 gr	Copper-Beryllium	11A36375
				Aluminium-Bronze	11A36357
	50 mm	400 mm	1810 gr	Copper-Beryllium	11A36376
				Aluminium-Bronze	11A36358

OPEN-END WRENCH - INCHES					
	Size:	Lenght:	Weight:	Alloy:	Item No.:
	7/8 "	200 mm	410 gr	Copper-Beryllium	11A36377
				Aluminium-Bronze	11A36359
	15/16 "	230 mm	460 gr	Copper-Beryllium	11A36378
				Aluminium-Bronze	11A36360
	1.1/16 "	260 mm	540 gr	Copper-Beryllium	11A36379
				Aluminium-Bronze	11A36361
	1.3/16 "	280 mm	660 gr	Copper-Beryllium	11A36380
				Aluminium-Bronze	11A36362
	1.1/4 "	300 mm	810 gr	Copper-Beryllium	11A36381
				Aluminium-Bronze	11A36363
	1.7/16 "	330 mm	950 gr	Copper-Beryllium	11A36382
				Aluminium-Bronze	11A36364
	1.5/8 "	350 mm	1120 gr	Copper-Beryllium	11A36383
				Aluminium-Bronze	11A36365
	1.13/16 "	380 mm	1550 gr	Copper-Beryllium	11A36384
				Aluminium-Bronze	11A36366
	2 "	400 mm	1810 gr	Copper-Beryllium	11A36385
				Aluminium-Bronze	11A36367

EXTENSION FOR OFFSET RING SPANNER							
	Lenght:	Dimension between sides 12 edges (mm):	Dimension between sides 12 edges (inches):	Ext. Diam. (mm)	Weight:	Material:	Item No.:
	460 mm	22-30 mm	1.3/16 "	19 mm	800 gr	Brass	11A72612
	610 mm	32-42 mm	1.1/4-1.11/16 "	22 mm	900 gr		11A72605
	760 mm	46-58 mm	1.3/4-2.5/16 "	25 mm	1600 gr		11A72606
	860 mm	60-85 mm	2.3/8-3.3/8 "	30 mm	2500 gr		11A72607